

This reclaimed Heart Pine flooring is sawn specially from board and beam stock with surface texture in mind. Selectively planed, the flooring features original circular and band saw kerf marks, original raw weathered texture, and dents, dings, and divots from decades of industrial use.

Variable-sized knots and some surface checking occur in this grade, ring density is generally eight to the inch or greater. Nail holes and accompanying mineral stains are graded into this material.



Standard Dimensions

2.5" - 11.5" wide planks (*wider w/ special order*)
2' to 12' lengths
3/4" thick

Grain

Straight, with minor irregularities and figure. Variable heartwood content. Mixed flat and vertical grain.

Color

Heartwood ranges from delicate yellows through oranges and into red and reddish-brown. Sapwood is a pleasant yellowish-white.

Character

Heavy presence of kerf marks and original weathered texture. Knots and nail holes. Checking and mineral staining will also be present.

Hardness & Stability

A moderately hard and stable wood. 1225lb_f on the Janka hardness scale. ~2.56 pounds per square foot.



Certifications

Qualifies for LEED MRc3, Materials Reuse credit. May qualify for LEED MRc5, Regional Materials credit.